



Persea Americana's Extract Could Offer Effective Treatment for Amyotrophic Lateral Sclerosis: A Hypothesis

Sukriti Vishwas¹, Bushra Bashir¹, Nikhil B. Khandale¹, Sachin Kumar Singh^{1,3,4*} and Uma Devi²

¹School of Pharmaceutical Sciences, Lovely Professional University, Phagwara, Punjab, 144411, India

²Department of Pharmaceutical Sciences, Faculty of Health and Medical Sciences, Sam Higginbottom University of Agricultural, Technology, and Sciences, Naini, Allahabad- 211007 (UP), India

³Discipline of Pharmacy, Graduate School of Health, University of Technology Sydney, Ultimo, NSW 2007, Australia

⁴Sunway Biofunctional Molecules Discovery Centre (SBMDC), School of Medical and Life Sciences, Sunway University, Sunway, Malaysia

*singhsachin23@gmail.com (Corresponding Author)

ARTICLE INFORMATION

Received: 29 June, 2023

Revised: 22 August, 2023

Accepted: 24 September, 2023

Published Online: 10 November, 2023

Keywords:

Amyotrophic lateral sclerosis; *Persea americana* mill extract; Oxidative stress; Neuroinflammation; Neuroprotective effects

ABSTRACT

Background: Amyotrophic lateral sclerosis (ALS) is a rare neurodegenerative disease characterized by the degeneration of upper and lower motor neurons in the central and peripheral nervous systems. Several pathological conditions, including neuroinflammation, oxidative stress, and mitochondrial dysfunction, contribute to the degeneration of motor neurons. Despite extensive research, no current drug therapies have proven effective in treating ALS.

Purpose: This study explores the therapeutic potential of *Persea americana* (PA) Mill, commonly known as avocado, in the treatment of ALS.

Methods: The review draws on pre-clinical and clinical studies that have demonstrated the neuroprotective effects of PA extracts (PAE) in diseases such as Alzheimer's and Parkinson's, highlighting the potential mechanisms that may be relevant to ALS.

Results: Although no studies have directly investigated the effects of PA on ALS, the bioactive compounds in PA have shown promising results in mitigating neurodegenerative processes through their diverse biological activities.

Conclusion: Based on existing evidence from related neurodegenerative conditions and the mechanisms involved in ALS pathology, it is hypothesized that PA extracts may offer a novel therapeutic avenue for ALS. Further research is required to validate the efficacy of PAE in managing ALS symptoms and slowing disease progression.



DOI: [10.15415/jptrm.2023.112005](https://doi.org/10.15415/jptrm.2023.112005)

1. Introduction

Amyotrophic lateral sclerosis (ALS) is classified under neurodegenerative disease (NDs). ALS is also called Lou Gehrig's disease, Charcot's disease, and motor neuron disease (Evans *et al.*, 2013). It is a paralytic condition in which degeneration of motor neurons occurs in the central nervous system (CNS). ALS affects the body's physiology such as muscle twitching, stiff muscles, weakness of hands and legs, problems in swallowing, chewing, and speaking. Sometimes patients with ALS also suffer from an abnormality in cognitive and psychotic functions. Moreover, due to respiratory paralysis patients' death may occur in nearly 3 to 5 years (Brown & Al-Chalabi, 2017; Rowland, 2010). The pathophysiology of ALS is very broad and many genetic as well as cellular changes can

be responsible for the degeneration of upper and lower motor neurons. Neuroinflammation (McGeer & McGeer, 2002), oxidative stress (Robberecht, 2000), mitochondrial dysfunction (Shi *et al.*, 2010) and some genetic changes (C9ORF72 repeat expansion) are mentioned by several authors in previous studies (Byrne *et al.*, 2012; Cooper-Knock *et al.*, 2014). Mutation in inflammatory mediators (IMs) in CNS can affect neurons and is responsible for several NDs (Chen *et al.*, 2016; Guzman-Martinez *et al.*, 2019). IMs such as Tumour necrosis factor alpha (TNF- α), nuclear factor kappa-light-chain-enhancer of activated B cells (NF- κ B), Interleukin (IL)₆ and ₈ produce inhibitory response to brain cell and these are also responsible for the intracellular inflammation that may lead to apoptosis of neuronal cells.

2. The Proposed Hypothesis

Persea Americana Mill (PA) is commonly known as avocado, alligator pear, and butter fruit. It belongs to the Lauraceae family. The fruit's extract contains various chemical constituents such as vitamin A, B₂, C, E, K, folic acid, glycosylated abscisic acid, cellulose, polygalactose, polyuronoids, volatile oils, lutein, coumarin, zeaxanthin, linoleic, oleic, palmitic, stearic, linolenic, capric, myristic acids, coenzyme Q10 and beta-carotene. PA's seeds, peels, pulp, leaves and oil contain various other therapeutically active chemical constituents (Table 1). Various literatures reported that PA extract (PAE) has very good antioxidant, anti-inflammatory, anti-apoptosis,

antiplatelet, antithrombotic (Rodriguez-Sanchez *et al.*, 2015), anti-cancer (Lara-Márquez *et al.*, 2020) and free radical scavenging activity (Alkhalaf *et al.*, 2019). It has also shown potential against some NDs such as Alzheimer, Huntington and Parkinson's disease in preclinical trials (Ameer, 2016). The PA fruit extract also has potency to minimize mitochondrial dysfunctions (Ortega-Arellano *et al.*, 2019; Silva-Platas *et al.*, 2012) (Table 1). PAE has numerous potential activities and it also possesses neuroprotective activities. Based on aforementioned pharmacological activities of PAE obtained from different parts of PA, it can be anticipated that PAE can be helpful in minimizing the symptoms of ALS in patients suffering from it.

Table 1: Chemical constituents and medical uses of various parts of PA

Extract of different parts of PA	Chemical constituents	Medicinal use	References
Seed and endocarp	Phytosterols, triterpenes, fatty acids, and abscisic acid.	Antioxidants, antimicrobial, anticancer, immunity booster, antioxidant, antihypertensive, hypolipidemic, larvicidal, fungicidal, amoebicidal, and giardicidal.	(Alkhalaf <i>et al.</i> , 2019; Bhuyan <i>et al.</i> , 2019; Ejiolor <i>et al.</i> , 2018; Padilla-Camberos <i>et al.</i> , 2013; Rodríguez-Carpena <i>et al.</i> , 2011)
Peels (exocarp)	Phenolic compounds, flavonoids, linoleic, oleic, palmitic, stearic, linolenic, capric, and myristic acids.	Antioxidants, antimicrobial, and anticancer.	(Bhuyan <i>et al.</i> , 2019; Rodríguez-Carpena <i>et al.</i> , 2011)
Pulp (mesocarp)	Carbohydrates, fat, proteins, fibers, sterols, alcohols, tocopherols, and carotenoids.	Antioxidants, antimicrobial, anticancer, anti-inflammatory and useful for the treatments of diabetes and cardiovascular disease.	(Bhuyan <i>et al.</i> , 2019; Mooz <i>et al.</i> , 2012)
Leaves	Coumarin, scopoletin, catechin and epicatechin.	Produces action against neurodegenerative disease, cancer, and skin diseases. It also controls cholesterol.	(Yasir <i>et al.</i> , 2010)
Oil	Polyunsaturated fatty acids, tocopherols, polyphenols, and phytosterols. Saturated fatty acids, predominance of palmitic acid. Monounsaturated fatty acids, predominance of oleic acid.	Enhances mitochondrial functions, minimizes free radical production, and oxidative stress. It also has anticancer and anti-inflammatory effects. In low dose, it diminishes insulin resistance and glucose tolerance while in high dose, it reduces the body weight.	(Del Toro-Equihua <i>et al.</i> , 2016; Flores <i>et al.</i> , 2019; Ortiz-Avila <i>et al.</i> , 2015)

3. Justification of Proposed Hypothesis

3.1. Anti-inflammatory Activity

It has been reported that several genetic factors, such as TANK Binding Kinase 1 (TBK1), Optineurin (OPTN), and Sequestosome-1-p62 (SQSTM1/p62) are responsible for

the mutation of proteins. This may lead to inflammation of neuronal cells (Brown & Al-Chalabi, 2017). In addition to this, inflammatory mediators such as TNF- α , NF- κ B, IL₆ and 8 can also enhance neuroinflammation, which may lead to degeneration of the motor neuron (Brown & Al-Chalabi, 2017). Adeyemi *et al.* (2002) have reported that aqueous

extract of leaves of PA has analgesic and anti-inflammatory properties. PAE has shown significant analgesic and anti-inflammatory activity in a dose dependent manner as compared to acetylsalicylic acid and morphine (Adeyemi *et al.*, 2002). As per Hong *et al.* (2019) ethanolic extract of PA has shown a positive response against colitis by inhibiting protein and mRNA expression levels of inducible nitric oxide synthase (iNOS), cyclooxygenase-2 (COX-2) and pro-inflammatory mediators such as TNF- α , interleukin (IL)-6, and IL-1 β . This study has reported that ethanolic extract of PA suppresses dextran sulfate sodium (DSS)-induced colitic mice. In addition, ethanolic extract of PA is also reported to inhibit NF- κ B, signal transducer and activator of transcription 3 (STAT3) (Hong *et al.*, 2019). PA seed extract contains a rich number of chemical constituents which have very good anti-inflammatory effect. In cell line study, seeds of PA have been reported to reduce the production of IL-6, IL1 β and TNF α . PAE is also reported to reduce NF- κ B in nuclear translocation pathways (Dabas *et al.*, 2019). In one of the recent studies, aqueous leaf extract of PA is reported to reduce the symptoms of fatty liver through its anti-inflammatory property (Brai *et al.*, 2020).

3.2. Anti-oxidant Activity

Oxidative stress causes occurrence of several diseases into the body. It is very much responsible for progression of

NDs and many literature reported that oxidative stress is also responsible for the ALS. Various studies proven that PAE has very good antioxidant activity, which reduces free radical production into body. 90% of ethanolic extract of PA leaf contains good amounts of flavonoids, saponins, tannins, triterpenoids, and steroids. These phytochemicals have the super antioxidant property and can be used for averting some diseases associated with oxidative stress (Rahman & Dewi, 2018). PA plant contains diverse polyphenolic compounds with strong antioxidant effects which have potency to treat many disease (Castro-López *et al.*, 2019). Amado *et al.* (2019) determined the antioxidant and antibacterial properties of four varieties (Quintal, Fortuna, Margarida, and Hass) of PA peel, pulp, and seed. They found that ethanolic extract of Quintal variety peel has the greatest antioxidant and antibacterial activity as compared to others. Bhuyan *et al.* (2019) reported antioxidant effects of PA's seed, and leaves. They also reported that due to the antioxidant effect, PA can produce positive effects against different types of cancers. In one of the studies, PA's fruit extract has shown antioxidant effect by inhibiting peroxidase, catalase, superoxide dismutase (SOD) and L-ascorbate peroxidase (Zhang *et al.*, 2013). The antioxidant mechanism of PAE are presented in Figure 1.




Figure 1: Possible role of PAE against ALS.

Molecular pathways are the leading causes of ALS pathogenesis. Increased levels of ROS/RNS, oxidative stress, mitochondrial dysfunctions, excitotoxicity and neuroinflammation are responsible for the neurotoxicity and degeneration of motor neurons. Many misfolded or mutated proteins and inflammatory mediators such as IL6, IL1 β , TNF α , and NO directly and indirectly increase the neuroinflammation. This leads to the apoptosis of motor neurons. Moreover, these inflammatory mediators also activate the NF- κ B nuclear translocation signaling pathways which enhance neuroinflammation. Apart from this some genetic changes such as mutation in C9ORF72 due to multiple repeats of GGGGCC nucleotide increases RNA and protein mediated neurotoxicity. PAE loaded SNEDDS may produce neuroprotective effects in CNS due to enhanced absorption of bioactives present in it which are further anticipated to get permeated through BBB due to their nano size. Upon reaching to brain it may produce antioxidant and anti-inflammatory effects as well as it may enhance mitochondrial functions. In addition to this, PAE may directly target IL6, IL1 β , TNF α , and NF- κ B and thus reduces neuroinflammation.

3.3. Enhance Mitochondrial Function

PAE have chemical constituents which are very nutritious as well as good for health. In the previous literature, the presence of chemical constituents such as lutein has been reported, which have protective effects on mitochondrial membrane potential ($\Delta\Psi_m$) and mitochondrial respiration (Dreher & Davenport, 2013; Ortiz-Avila *et al.*, 2015). It also reduces the mitochondrial oxidative stress due to its antioxidant effect by diminishing ROS level and lipid peroxidation and enhances adequate mitochondrial functions in brain by maintaining mitochondrial redox state (Ortiz-Avila *et al.*, 2015).

3.4. Other Possible Mechanism

Fruit extract of PA are reported to contain α -linolenic acid which has neuroprotective effect. Moreover, it is reported to improve cognitive functions. It also contains fatty acids which enhance membrane fluidity and level of polyunsaturated fatty acids. The polyunsaturated fatty acids help in the formation of phospholipids in the membranes of the neurons and thus it may directly improve neuronal function, neuroprotection and synaptic plasticity by signaling cascades in neuronal cells (Ameer, 2016; Kapoor *et al.*, 2018; Vishwas *et al.*, 2020a; Vishwas *et al.*, 2020b).

4. Conclusion

There are many pathological pathways associated with ALS but none of the drugs has shown complete relief against the disease. Herbal medicines are very much effective from the ancient time throughout the world due to presence of many

phytochemicals that can work through multiple pathways. In addition to that, they are considerably non-toxic as compared to synthetic drugs. PAE contains various active phytochemicals which have antioxidant, anti-inflammatory and anti-apoptosis properties as well as they also enhance mitochondrial functions effects. Owing to these many pharmacological activities it is anticipated that PAE could offer neuroprotective effect for treating ALS.

Acknowledgment

The authors would also like to thank School of Pharmaceutical Sciences, Lovely Professional University, Jalandhar, Punjab for their kind support in the carrying out research work.

Authorship Contribution

Sukriti Vishwas: Methodology, data curation, and writing – original draft; Bushra Bashir: Methodology; Nikhil B. Khandale: Methodology; Uma Devi: Methodology; Sachin Kumar Singh: Conceptualization, validation, supervision, and writing – review & editing.

Funding

This study was not supported by any sponsor or funder.

Conflict of Interest

The authors declare no conflict of interest.

Declaration

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- Adeyemi, O. O., Okpo, S., & Ogunti, O. (2002). Analgesic and anti-inflammatory effects of the aqueous extract of leaves of *Persea americana* Mill (Lauraceae). *Fitoterapia*, 73(5), 375-380.
[https://doi.org/10.1016/S0367-326X\(02\)00118-1](https://doi.org/10.1016/S0367-326X(02)00118-1)
- Alkhalaf, M. I., Alansari, W. S., Ibrahim, E. A., & ELhalwagy, M. E. (2019). Anti-oxidant, anti-inflammatory and anti-cancer activities of avocado (*Persea americana*) fruit and seed extract. *Journal of King Saud University-Science*, 31(4), 1358-1362.
<https://doi.org/10.1016/j.jksus.2018.10.010>

- Amado, D. A. V., Helmann, G. A. B., Detoni, A. M., Carvalho, S. L. C. d., Aguiar, C. M. d., Martin, C. A., Tiunan, T. S., & Cottica, S. M. (2019). Antioxidant and antibacterial activity and preliminary toxicity analysis of four varieties of avocado (*Persea americana* Mill.). *Brazilian Journal of Food Technology*, 22. <https://doi.org/10.1590/1981-6723.04418>
- Ameer, K. (2016). Avocado as a major dietary source of antioxidants and its preventive role in neurodegenerative diseases. *The benefits of natural products for neurodegenerative diseases*, 12, 337-354. https://doi.org/10.1007/978-3-319-28383-8_18
- Bhuyan, D. J., Alsherbiny, M. A., Perera, S., Low, M., Basu, A., Devi, O. A., Barooah, S. M., Li, G. C., & Papoutsis, K. (2019). The odyssey of bioactive compounds in avocado (*Persea americana*) and their health benefits. *Antioxidants*, 8(10), 426. <https://doi.org/10.3390/antiox8100426>
- Brai, B., Falode, J., Adisa, R., & Odetola, A. (2020). Effects of aqueous leaf extract of avocado (*Persea americana*) on total cholesterol, triacylglycerols, protein and haematological parameters in CCl₄-intoxicated rats. *Clinical Phytoscience*, 6(1), 1-6. <https://doi.org/10.1186/s40816-020-00159-y>
- Brown, R. H., & Al-Chalabi, A. (2017). Amyotrophic Lateral Sclerosis. *New England Journal of Medicine*, 377(2), 162-172. <https://doi.org/10.1056/NEJMra1603471>
- Byrne, S., Elamin, M., Bede, P., Shatunov, A., Walsh, C., Corr, B., Heverin, M., Jordan, N., Kenna, K., Lynch, C. & McLaughlin, R.L. (2012). Cognitive and clinical characteristics of patients with amyotrophic lateral sclerosis carrying a C9orf72 repeat expansion: a population-based cohort study. *The Lancet Neurology*, 11(3), 232-240. [https://doi.org/10.1016/S1474-4422\(12\)70014-5](https://doi.org/10.1016/S1474-4422(12)70014-5)
- Castro-López, C., Bautista-Hernández, I., González-Hernández, M. D., Martínez-Ávila, G. C., Rojas, R., Gutiérrez-Díez, A., Medina-Herrera, N., & Aguirre-Arzola, V. E. (2019). Polyphenolic profile and antioxidant activity of leaf purified hydroalcoholic extracts from seven Mexican *Persea americana* cultivars. *Molecules*, 24(1), 173. <https://doi.org/10.3390/molecules24010173>
- Chen, W. W., Zhang, X., & Huang, W. J. (2016). Role of neuroinflammation in neurodegenerative diseases. *Molecular medicine reports*, 13(4), 3391-3396. <https://doi.org/10.3892/mmr.2016.4948>
- Cooper-Knock, J., Shaw, P. J., & Kirby, J. (2014). The widening spectrum of C9ORF72-related disease; genotype/phenotype correlations and potential modifiers of clinical phenotype. *Acta neuropathologica*, 127(3), 333-345. <https://doi.org/10.1007/s00401-014-1251-9>
- Dabas, D., Ziegler, G., & Lambert, J. (2019). Anti-Inflammatory Properties of a Colored Avocado Seed Extract. *Adv. Food Technol. Nutr. Sci.-Open J*, 5(1), 8-12. <https://doi.org/10.17140/AFTNSOJ-5-151>
- Del Toro-Equihua, M., Velasco-Rodríguez, R., López-Ascencio, R., & Vásquez, C. (2016). Effect of an avocado oil-enhanced diet (*Persea americana*) on sucrose-induced insulin resistance in Wistar rats. *Journal of food and drug analysis*, 24(2), 350-357. <https://doi.org/10.1016/j.jfda.2015.11.005>
- Dreher, M. L., & Davenport, A. J. (2013). Hass avocado composition and potential health effects. *Critical Reviews in Food Science and Nutrition*, 53(7), 738-750. <https://doi.org/10.1080/10408398.2011.556759>
- Ejiofor, N. C., Ezeagu, I. E., Ayoola, M., & Umera, E. A. (2018). Determination of the chemical composition of avocado (*Persea americana*) seed. *Adv Food Technol Nutr Sci Open J*, 2, 51-55. <http://dx.doi.org/10.17140/AFTNSOJ-SE-2-107>
- Evans, M., Couch, Y., Sibson, N., & Turner, M. (2013). Inflammation and neurovascular changes in amyotrophic lateral sclerosis. *Molecular and Cellular Neuroscience*, 53, 34-41. <https://doi.org/10.1016/j.mcn.2012.10.008>
- Flores, M., Saravia, C., Vergara, C. E., Avila, F., Valdés, H., & Ortiz-Viedma, J. (2019). Avocado oil: Characteristics, properties, and applications. *Molecules*, 24(11), 2172. <https://doi.org/10.3390/molecules24112172>
- Guzman-Martinez, L., Maccioni, R. B., Andrade, V., Navarrete, L. P., Pastor, M. G., & Ramos-Escobar, N. (2019). Neuroinflammation as a common feature of neurodegenerative disorders. *Frontiers in Pharmacology*, 10, 1008. <https://doi.org/10.3389/fphar.2019.01008>
- Hong, J. Y., Chung, K.-S., Shin, J.-S., Park, G., Jang, Y. P., & Lee, K.-T. (2019). Anti-Colitic Effects of Ethanol Extract of *Persea americana* Mill. through Suppression of Pro-Inflammatory Mediators via NF- κ B/STAT3 Inactivation in Dextran Sulfate Sodium-Induced Colitis Mice. *International Journal of Molecular Sciences*, 20(1), 177. <https://doi.org/10.3390/ijms20010177>
- Kapoor, B., Gupta, R., Singh, S. K., Gulati, M., & Singh, S. (2018). Prodrugs, phospholipids and vesicular delivery-An effective triumvirate of pharmacosomes. *Advances in colloid and interface science*, 253, 35-65. <https://doi.org/10.1016/j.cis.2018.01.003>
- Lara-Márquez, M., Báez-Magaña, M., Raymundo-Ramos, C., Spagnuolo, P. A., Macías-Rodríguez, L., Salgado-Garciglia, R., Ochoa-Zarzosa, A., & López-Meza, J. E. (2020). Lipid-rich extract from Mexican avocado (*Persea americana* var. *drymifolia*) induces apoptosis and modulates the inflammatory response in Caco-2

- human colon cancer cells. *Journal of Functional Foods*, 64, 103658.
<https://doi.org/10.1016/j.jff.2019.103658>
- McGeer, P., & McGeer, E. (2002). Inflammatory processes in amyotrophic lateral sclerosis. *Muscle & Nerve: Official Journal of the American Association of Electrodiagnostic Medicine*, 26(4), 459-470.
<https://doi.org/10.1002/mus.10191>
- Mooz, E. D., Gaiano, N. M., Shimano, M. Y. H., Amancio, R. D., & Spoto, M. H. F. (2012). Physical and chemical characterization of the pulp of different varieties of avocado targeting oil extraction potential. *Food Science and Technology*, 32(2), 274-280.
<https://doi.org/10.1590/S0101-20612012005000055>
- Rahman, N., & Dewi, N. U. (2018). Phytochemical and antioxidant activity of avocado leaf extract (*Persea americana* Mill.). *Asian Journal of Scientific Research*, 11(3), 357-363.
<https://doi.org/10.3923/ajsr.2018.357.363>
- Ortega-Arellano, H. F., Jimenez-Del-Rio, M., & Velez-Pardo, C. (2019). Neuroprotective effects of methanolic extract of Avocado *Persea americana* (var. Colinred) peel on paraquat-induced locomotor impairment, lipid peroxidation and shortage of life span in transgenic knockdown Parkin *Drosophila melanogaster*. *Neurochemical research*, 44(8), 1986-1998. <https://doi.org/10.1007/s11064-019-02835-z>
- Ortiz-Avila, O., Esquivel-Martínez, M., Olmos-Orizaba, B. E., Saavedra-Molina, A., Rodríguez-Orozco, A. R., & Cortés-Rojo, C. (2015). Avocado oil improves mitochondrial function and decreases oxidative stress in brain of diabetic rats. *Journal of diabetes research*, 2015(1). <https://doi.org/10.1155/2015/485759>
- Padilla-Camberos, E., Martínez-Velázquez, M., Flores-Fernández, J. M., & Villanueva-Rodríguez, S. (2013). Acute toxicity and genotoxic activity of avocado seed extract (*Persea americana* Mill., cv Hass). *The scientific world journal*, 2013(1).
<https://doi.org/10.1155/2013/245828>
- Robberecht, W. (2000). Oxidative stress in amyotrophic lateral sclerosis. *Journal of neurology*, 247(1), 11-16.
<https://doi.org/10.1007/s004150050551>
- Rodríguez-Carpena, J.-G., Morcuende, D., Andrade, M.-J., Kylli, P., & Estévez, M. (2011). Avocado (*Persea americana* Mill.) phenolics, in vitro antioxidant and antimicrobial activities, and inhibition of lipid and protein oxidation in porcine patties. *Journal of agricultural and food chemistry*, 59(10), 5625-5635.
<https://pubs.acs.org/doi/abs/10.1021/jf1048832>
- Rodríguez-Sánchez, D. G., Flores-García, M., Silva-Platas, C., Rizzo, S., Torre-Amione, G., De la Peña-Díaz, A., Hernández-Brenes, C., & García-Rivas, G. (2015). Isolation and chemical identification of lipid derivatives from avocado (*Persea americana*) pulp with antiplatelet and antithrombotic activities. *Food & Function*, 6(1), 192-202.
<https://doi.org/10.1039/C4FO000610K>
- Rowland, L. P. (2010). Ameliorating Amyotrophic Lateral Sclerosis. *New England Journal of Medicine*, 362(10), 953-954. <https://doi.org/10.1056/NEJMcibr0912229>
- Shi, P., Gal, J., Kwinter, D. M., Liu, X., & Zhu, H. (2010). Mitochondrial dysfunction in amyotrophic lateral sclerosis. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1802(1), 45-51.
<https://doi.org/10.1016/j.bbadis.2009.08.012>
- Silva-Platas, C., García, N., Fernández-Sada, E., Dávila, D., Hernández-Brenes, C., Rodríguez, D., & García-Rivas, G. (2012). Cardiotoxicity of acetogenins from *Persea americana* occurs through the mitochondrial permeability transition pore and caspase-dependent apoptosis pathways. *Journal of bioenergetics and biomembranes*, 44(4), 461-471.
<https://doi.org/10.1007/s10863-012-9452-1>
- Vishwas, S., Awasthi, A., Corrie, L., Singh, S. K., & Gulati, M. (2020a). Multiple target-based combination therapy of galantamine, memantine and lycopene for the possible treatment of Alzheimer's disease. *Medical Hypotheses*, 143.
<https://doi.org/10.1016/j.mehy.2020.109879>
- Vishwas, S., Gulati, M., Kapoor, B., Gupta, S., Singh, S. K., Awasthi, A., & Goyal, A. (2020b). Expanding the arsenal against Huntington's disease-Herbal drugs and their nanoformulations. *Current Neuropharmacology*. <https://doi.org/10.2174/1570159X18666201109090824>
- Yasir, M., Das, S., & Kharya, M. (2010). The phytochemical and pharmacological profile of *Persea americana* Mill. *Pharmacognosy reviews*, 4(7), 77.
<https://doi.org/10.4103/0973-7847.65332>
- Zhang, Z., Huber, D. J., & Rao, J. (2013). Antioxidant systems of ripening avocado (*Persea americana* Mill.) fruit following treatment at the preclimacteric stage with aqueous 1-methylcyclopropene. *Postharvest biology and technology*, 76, 58-64.
<https://doi.org/10.1016/j.postharvbio.2012.09.003>



Journal of Pharmaceutical Technology, Research and Management

Chitkara University, Saraswati Kendra, SCO 160-161, Sector 9-C,
Chandigarh, 160009, India

Volume 11, Issue 2

November 2023

ISSN 2321-2217

Copyright: [©2023 Sachin Kumar Singh et al.,] This is an Open Access article published in Journal of Pharmaceutical Technology, Research and Management (J. Pharm. Tech. Res. Management) by Chitkara University Publications. It is published with a Creative Commons Attribution- CC-BY 4.0 International License. This license permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.